






Built to Last Built to Perform

Modernize your Lubricant Storage and Handling Practices

Lubrication storage, handling, and dispensing is often overlooked, but it is critical to a successful maintenance program. Correct storage and handling can lead to real savings. The return on investment, often referred to as ROI, can be immediate with reduced equipment failures leading to increased production up-time. In fact, a few quick changes in your lube program can lead to improved work areas, safer conditions, cleaner lubricants, lower equipment maintenance cost, improved production, and more.

This brochure is designed to give you direction to get on the road to a world class lube room. Whether you have 3 lubricants or 30 - these tools will help guide you on your way. Does this guide contain everything you need to know - of course not - but it can definitely put you on the path to success.



Fix Old Habits and Move to a World Class Lube Room

The above pictures show some of the 'old ways' of storing lubricants. Often times lubrication took a back seat but not anymore. Companies are realizing the massive savings in both time and money to proper lubricant storage. In addition, an unmanaged and messy lube room can lead to insurance issues and dangerous conditions. The bulk systems offered can lead to a world class lube room and a better workplace.



MODERNIZE LUBRICANT STORAGE AND HANDLING PRACTICES

Oil Safe Bulk Systems are the most feature rich and highest quality lubricant storage and dispensing systems available. Perfect for any workplace looking to instantly establish best practice by quickly ridding itself of old bulk oil storage equipment and processes. An Oil Safe bulk storage system will enable you to take immediate control over your lubrication workflow process and get your lubricant storage areas and practices clean, efficient, and compliant.

The three main systems, Basic, Advanced, and Lubrication Work Center become the main focus of any updated world class lube room. Each can be configured to meet your specific workplace requirements. Additional secondary systems are available to supplement lube management either in the field or in other areas of the workplace. Whether you need lube management help in the field with a Quad Con System or a remote part of the warehouse with a Drum Work Station - world class lube management is within reach.

ESTABLISH BEST PRACTICE

- Lubrication Reliability (5R's)
- LEAN Manufacturing
- Workplace Organization (5S)
- Environmental Compliance (SPCC)
- Safety Compliance (OSHA - Right to Know)

Tanks - Mix and match different tanks and colors to meet your needs

Custom Labeling - Add the optional labeling feature to receive fully integrated customized identification labeling for additional compliance

Fluid Cleanliness - Minimize lubricant contamination

Compliance - Features available to meet facility compliance

Spill Control - Multi-Tier spill control

Modular Heavy Duty Construction - With a fully welded and powder coated steel frame it is durable and also ships in pre-assembled modules

Features - Rich in features and options to maximize budget and functionality

SYSTEM FEATURES

- **Color Coded** - Choice of 10 different colors for identification
- **Tank Sizes** - Choose from 30, 65, 120, 240 gallon tanks
- **Fire Safety** - Systems come with MSHA CFR30 rated hosing and have the option to include auto-shut off tank isolation valves
- **OSHA** - Right to know with color coded and labeled tanks and taps to ensure accurate fluid identification and handling
- **EPA SPCC** - Systems come standard with integrated spill containment
- **Ships Assembled** - Save time with pre-assembled modules that are virtually ready to use within minutes
- **Clean, Safe, and Professional** - Restores pride and in the work place and helps with facility inspections
- **Lube Storage** - Accommodates lubricants up to ISO 680
- **Various Configuration** - Scale the system to accommodate the number and volume of storage and dispensing



**Match Color Coded
Tanks with Color Coded
Transfer Containers**

Beige



Black



Blue



Dark Green



Grey



Mid Green



Orange



Purple



Red



Yellow



FLUID CLEANLINESS

- **In-Line Filtration**
- **Desiccant Breather** - Dedicated breather for each tank to remove airborne contaminants and moisture
- **Dispense** - High quality auto-shut off taps
- **Filling** - Dedicated suction hoses on the Advance and Work Center Systems
- **Cleaner Fluid** - Dedicated pump and filter on each tank on the Advance and Work Center Systems
- **Filtration** - With the Advance and Work Center it filters when you fill, dispense and you can also recirculate it (kidney loop)



GENERAL FEATURES

- **Integrated Pallets** - Integrated lift points built into the systems for easy forklift and hand truck transportation
- **Gauges** - Top mounted gauges for easy and safe viewing of tank fill level
- **Grounding** - Retractable cable reel grounding kit and system earth lugs to mitigate static electricity build up
- **Lubricant Flexibility** - Suitable for storing machinery lubricating oils and glycol based lubricants
- **Drip Trays** - Removable stainless steel drip trays collect spills that may occur when filling dispensing containers
- **Power** - All systems come standard with 110v single phase TEFC motors; air pneumatic option available



Lubrication Work Center System

The ultimate in lubrication management



The Oil Safe Work Center Bulk Storage System is like an instant lube room. The color coded central dispensing station makes filling with the right lubricant a snap. There is a storage cabinet below the dispensing station or if you upgrade to hose reels they are conveniently stored inside. Features color coding, pressurized dispensing taps, built in spill containment, and a separate pump/filter for each tank providing 3 way filtration (filters while filling, recirculate (kidney loop), and dispensing). Comes standard with a 25 micron Beta 2000 filter, other ratings available. Ships assembled and virtually ready to use.

- Dedicated Pump and Filter per tank - This helps prevent cross contamination.
- Electrical Protection - Circuit breakers, surge protectors, and motor overload protection.
- Spill Containment - built in spill containment for work place safety and SPCC compliance.
- Flame Resistant Fire Suppression Hose Assemblies.
- Ergonomic Dispensing Station - dedicated dispensing station with work surfaces and storage.
- Heavy Duty Tanks - Aluminum tanks available in 10 colors and 4 sizes; 30, 65, 120, and 240 gallon.
- Pre-Assembled - Get up and running quickly without spending a couple of days chasing down tools and parts building a system.
- Compact Footprint - Each pod is 46" wide x 46" deep x 88" tall.


Lubrication Work Center Specifications

Pre-assembled	SPCC Spill Compliance	Taps	Pumps/Filter Sets	Filtration	Electrical Protection	Dispensing	High Viscosity Pumps	Fire Safety Upgrade	Hose Reels
Yes	Yes Depending on configuration	Pressurized	1 per tank	3-Way Fill, Dispense, Recirculate	Yes	Station	Yes	Optional	Optional


1-630-852-1734

ForFluids.com


info@ForFluids.com




Configuration: 4 x 65 Gallon
Part Number : FF30400




Configuration: 4 x 30 & 2 x 65 Gallon
Part Number : FF34200




Configuration: 4 x 120 Gallon
Part Number : FF30040




Configuration: 6 x 65 Gallon
Part Number : FF30600




Configuration: 4 x 65 & 2 x 120 Gallon
Part Number : FF30420



Configuration: 6 x 120 Gallon
Part Number : FF30060




Configuration: 8 x 65 Gallon
Part Number : FF30800



Configuration: 4 x 120 & 1 x 240 Gallon
Part Number : FF30041

Or Mix and Match - Build Your Own System


Mix and match different size tanks and create a system that matches your application. Choose from 30 gal, 65 gal, 120 gal, or 240 gallon tanks. Just tell us the number of tanks and sizes and we will create it just for you.



Configuration: 12 x 65 Gallon
Part Number : FF30C00

Advanced System

The most popular lubrication management system




The Oil Safe Advance Bulk Storage System can easily get you up to speed with best practices. This space efficient design features color coding, pressurized dispensing taps, built in spill containment, and a separate pump/filter for each tank providing 3 way filtration (filters while filling, recirculate (kidney loop), and dispensing). Comes standard with a 25 micron Beta 2000 filter, other ratings available. Ships assembled and virtually ready to use - just screw on the taps and the drip tray, plug it in and you have a best practice storage system.


- Dedicated Pump and Filter per tank - This helps prevent cross contamination.
- Spill Containment - built in spill containment for work place safety and SPCC compliance.
- Flame Resistant Fire Suppression Hose Assemblies.
- Heavy Duty Tanks - Aluminum tanks available in 10 colors and 4 sizes; 30, 65, 120, and 240 gallon.
- Pre-Assembled - Get up and running quickly without spending a couple of days chasing down tools and parts building a system.
- Compact Footprint - Each pod is 46" wide x 61" deep x 88" tall.

Advanced Bulk System Specifications


Pre-assembled	SPCC Spill Compliance	Taps	Pumps/Filter Sets	Filtration	Electrical Protection	Dispensing	High Viscosity Pumps	Fire Safety Upgrade	Hose Reels
Yes	Yes Depending on configuration	Pressurized	1 per tank	3-Way Fill, Dispense, Recirculate	Yes	Console	Yes	Optional	No




Configuration: 4 x 30 Gallon
Part Number : FF24000




Configuration: 4 x 65 Gallon
Part Number : FF20400




Configuration: 2 x 65 & 1 x 120 Gallon
Part Number : FF20210




Configuration: 8 x 65 Gallon
Part Number : FF20800




Configuration: 12 x 65 Gallon
Part Number : FF20C00




Configuration: 4 x 120 Gallon
Part Number : FF20040



Configuration: 6 x 120 Gallon
Part Number : FF20060




Configuration: 4 x 65 & 2 x 120 Gallon
Part Number : FF20420



Configuration: 4 x 65 & 2 x 120 &
2 x 240 Gallon
Part Number : FF20422


Or Mix and Match - Build Your Own System

Mix and match different size tanks and create a system that matches your application. Choose from 30 gal, 65 gal, 120 gal, or 240 gallon tanks. Just tell us the number of tanks and sizes and we will create it just for you.



Basic System

Economical solution for similar lubricants




The Oil Safe Basic Bulk Storage System provides basic contamination control. This space efficient design features color coding, gravity dispensing taps, and built in spill containment. With one pump and filter per system, it is primary used for facilities that have very similar lubricants. Comes standard with a 25 micron Beta 2000 filter, other ratings available. Ships assembled and virtually ready to use - just screw on the taps and the drip tray, plug it in and you have a high quality storage system.


- Gravity Fed dispensing to taps.
- Spill Containment - Built in spill containment for work place safety and SPCC compliance.
- Flame Resistant Fire Suppression Hose Assemblies - MSHA CFR30 rated.
- Heavy Duty Tanks - Aluminium tanks available in 10 colors and 4 sizes; 30, 65, 120, and 240 gallon.
- Pre-Assembled - Get up and running quickly without spending a couple of days chasing down tools and parts building a system.
- Compact Footprint - Each pod is 46" wide x 61" deep x 88" tall.

Basic Bulk System Specifications


Pre-assembled	SPCC Spill Compliance	Taps	Pumps/Filter Sets	Filtration	Electrical Protection	Dispensing	High Viscosity Pumps	Fire Safety Upgrade	Hose Reels
Yes	Yes Depending on configuration	Gravity	1 per System	1-Way Dispense	Yes	Console	Yes	No	No




Configuration: 4 x 30 Gallon
Part Number : FF14000




Configuration: 4 x 65 Gallon
Part Number : FF10400




Configuration: 6 x 65 Gallon
Part Number : FF10600




Configuration: 4 x 65 & 2 x 120 Gallon
Part Number : FF10420



Configuration: 8 x 65 Gallon
Part Number : FF10800



Configuration: 4 x 120 Gallon
Part Number : FF10040



Configuration: 6 x 120 Gallon
Part Number : FF10060

Tip: The Basic System is economical but depending on your facility you may want to upgrade to the Advance or Work Center. The tanks in the Basic System share a single pump, filter, and suction hose.

Or Mix and Match - Build Your Own System

Mix and match different size tanks and create a system that matches your application. Choose from 30 gal, 65 gal, 120 gal, or 240 gallon tanks. Just tell us the number of tanks and sizes and we will create it just for you.

Quad Con System

Instant lubrication management on the base, in the field, or on location.



Designed to fit into a Quad Con Box, available with box or without.

Color coded 12 gauge aluminized tanks

Retractable static discharge reel

Dedicated pump and filter per tank

Spill containment of 150 gallons for SPCC compliance

Level gauges

Desiccant breather

Easy dispensing to transfer containers from color coded dispensers with auto shut off taps

Stainless steel drip tray

Storage compartment

Pallet truck and forklift compatible

The Oil Safe Quad Con Advance Bulk Storage System offers an instant best practice lubrication management on the base, in the field, or on location. This space efficient Quad Con design features color coding, pressurized and gravity dispensing taps, built in spill containment, and a separate pump/filter for each tank providing 3 way filtration (filters while filling, recirculate (kidney loop), and dispensing). Comes standard with a 25 micron Beta 2000 filter, other ratings available. Available in electric or pneumatic versions with or without the Quad Con container. Ships assembled and virtually ready to use.

- Dedicated Pump and Filter per tank - This helps prevent cross contamination.
- Spill Containment - built in spill containment for work place safety and SPCC compliance.
- Flame Resistant Fire Suppression Hose Assemblies.
- Heavy Duty Tanks - Aluminum tanks available in 10 colors and 3 sizes; 30, 65, and 120 gallon.
- Pre-Assembled - Get up and running quickly without spending a couple of days chasing down tools and parts building a system.
- Compact Design - Each pod is 45" wide x 87" deep x 69.5" tall.

Part #	Description
FFM0400AQ	Pneumatic Oil Safe POL Bulk System with Quad Con
FFM0400A	Pneumatic Oil Safe POL Bulk System
FFM0400EQ	Electric Oil Safe POL Bulk System with Quad Con
FFM0400E	Electric Oil Safe POL Bulk System

Quad Con Bulk System Specifications

Pre-assembled	SPCC Spill Compliance	Taps	Pumps/Filter Sets	Filtration	Electrical Protection	Dispensing	High Viscosity Pumps	Fire Safety Upgrade	Hose Reels
Yes	Yes	Pressurized and Gravity	1 per tank	3-Way Fill, Dispense, Recirculate	Yes	Console	Yes	Optional	No


1-630-852-1734

ForFluids.com

info@ForFluids.com

55 Gallon Drum Work Station

Remote best practice contamination control



Oil Drum and Oil Safe Container not included

The Oil Safe 55 Gallon Drum Work Station delivers best practice contamination control for 55 gallon drums in a space efficient form. This space efficient design features a stainless steel dispensing console and drop pan, pressurized dispensing tap, dedicated suction hose, and a pump/filter providing 2 way filtration (filters while dispensing and recirculate (kidney loop)). Comes standard with a 25 micron Beta 2000 filter, other ratings available. Ships assembled and ready to use.

- Dedicated stainless/PVC suction spear/hose for drum with cam coupler.
- Positive displacement gear pump with internal bypass.
- Flame resistant fire suppression hose assemblies.
- Delivered pre-assembled and ready to use.
- Electronic stop/start buttons.
- Compact Footprint - 14" wide x 24" deep x 65" tall.
- Drum can be placed on a drum deck or spill pallet for SPCC spill compliance if required.
- Available as electric or pneumatic.

Part #	Description
FF94500	55 Gallon Drum Work Station, TEFC 110v/14a
FF94520	55 Gallon Drum Work Station, TEFC 240v/10a

Optional: available in pneumatic version

55 Gallon Drum Work Station System Specifications

Pre-assembled	SPCC Spill Compliance	Taps	Pumps/Filter Sets	Filtration	Electrical Protection	Dispensing	High Viscosity Pumps	Fire Safety Upgrade	Hose Reels
Yes	No	Pressurized	1 per system	2-Way Dispense, Recirculate	Yes	Console	Yes	No	No

1-630-852-1734

ForFluids.com

info@ForFluids.com

Tote Dispensing Rack

Instant lubrication management on the base, in the field, or on location.



Positive displacement
gear pump

Spill containment of 75 gallons per
pod - connect multiple pods for
additional containment (optional)

Tote is not included

Fits common totes
(not included)

Electronic start/stop
buttons

Easy dispensing to
transfer containers or
directly into equipment
with the retractable
hose reel

Pallet truck and
forklift compatible

The Oil Safe Tote Dispensing Rack delivers best practice contamination control for common 300 gallon totes. This space efficient design lifts the tote off the ground for easy dispensing. Features retractable hose dispensing reel (25 feet) with trigger dispenser. Comes standard with a 25 micron Beta 2000 filter, other ratings available. Ships assembled and virtually ready to use - just attach the tote and connect hose (hose adapter may be necessary, available from the tote supplier), plug it in and you have a best practice dispensing rack.

- Positive displacement gear pump with internal bypass.
- Spill Containment - built in 75 gallon spill containment, additional spill pans available to expand spill capacity for SPCC compliance.
- Flame resistant fire suppression hose assemblies.
- Heavy duty rack designed to accommodate totes with base dimensions less than 41" w x 46" d.
- Pre-Assembled.
- Available in electric and pneumatic.
- Compact Footprint - Each pod is 46" wide x 46" deep.

Part #	Description
FF94600	Tote Dispensing Rack, TEFC 110v/14a
FF94620	Tote Dispensing Rack, TEFC 240v/10a
Optional: available in pneumatic version	

Tote Dispensing Rack Specifications

Pre-assembled	SPCC Spill Compliance	Taps	Pumps/Filter Sets	Filtration	Electrical Protection	Dispensing	High Viscosity Pumps	Fire Safety Upgrade	Hose Reel
Yes	Yes Depending on configuration	Pressurized Hose Reel	1 per tank	1-Way Dispensing	Yes	Hose Reel	Yes	No	Yes


1-630-852-1734

ForFluids.com

info@ForFluids.com

Bulk Fluid Transfer Skid

Large volume lubricant management



The Oil Safe Bulk Transfer Skids give operations bulk fluid mobility in a safe and rugged form. Available in two tank sizes of 120 and 240 gallons, it offers facilities a way to manage larger amounts of fluid with integrated fork lift pockets. Dispense with the hose reel to transfer containers, fluid carts, or directly into nearby equipment. Comes standard with a 25 micron Beta 2000 filter, other ratings available. Ships assembled.

- 25ft Hose Dispensing Reel with high flow dispensing gun; Metering gun upgrade available.
- Spill Containment - built in spill containment for work place safety.
- Flame Resistant Fire Suppression Hose Assemblies.
- Heavy Duty Tanks - Aluminized tank available in 10 colors and 2 sizes; 120 and 240 gallons.
- Pre-Assembled - Get up and running quickly without spending a couple of days chasing down tools and parts building a system.
- Compact Footprint - Each pod is 46" wide x 46" deep.

Part #	Description
FF94700	120 Gallon Bulk Fluid Transfer Skid
FF94701	240 Gallon Bulk Fluid Transfer Skid

Optional: available in pneumatic version

Bulk Fluid Transfer Skid Specifications

Pre-assembled	SPCC Spill Compliance	Taps	Pumps/Filter Sets	Filtration	Electrical Protection	Dispensing	High Viscosity Pumps	Fire Safety Upgrade	Hose Reel
Yes	No Depending on configuration	Pressurized Hose Reel	1 per tank	1-Way Dispensing	Yes	Hose Reel	Yes	No	Yes


1-630-852-1734

ForFluids.com

info@ForFluids.com

Advanced Fluid Cart

Portable fluid filtration and handling



The Oil Safe Advance Fluid Handling Cart offers mobile best practices. This cart offers mobile storage of fluids in addition to fluid transfer and off-line filtration. Features color coding, 25ft dispensing hose reel, built in spill containment, and a pump/filter providing 4 way filtration (filters while filling, recirculate (kidney loop), dispensing, and off-line). Comes standard with a 25 micron Beta 2000 filter, other ratings available. Integrated forklift pockets and available with air or electric pumps. Ships assembled.

- 25ft Hose Dispensing Reel with high flow dispensing gun; Metering gun upgrade available.
- Spill Containment - built in spill containment for work place safety and SPCC compliance.
- Flame Resistant Fire Suppression Hose Assemblies.
- Heavy Duty Tanks - 65 Gallon aluminum tank available in 10 colors.
- Pre-Assembled - Get up and running quickly without spending a couple of days chasing down tools and parts building a system.
- Compact Footprint.

Part #	Description
FF94765	65 Gallon Advanced Fluid Handling Cart

Advanced Fluid Cart Specifications									
Pre-assembled	SPCC Spill Containment	Taps	Pumps/Filter Sets	Filtration	Electrical Protection	Dispensing	High Viscosity Pumps	Fire Safety	Hose Reel
Yes	Yes	Pressurized Hose Reel	1 per tank	4-Way Fill, Dispense, Recirculate, Off Line	Yes	Hose Reel	Yes	Optional	Yes

Bulk System Accessories/Upgrades

Accessories



This large cabinet has the same dimensions as the bulk systems and offers tons of room for storing all types of grease and lube related items. Features four deep shelves, six smooth glide drawers, plastic bins, and rugged construction. Ships fully assembled.
Part Number : 890150



After emptying drums, totes, or pails, the suction hoses for the Advance and Work Centers can be stored in the Mobile Hose Cart, on Wall Mounted Rack, or if space permits on the side of your system with a Frame Mount Rack.

895004 Mobile Suction Hose Cart, 4 Hose
895006 Mobile Suction Hose Cart, 6 Hose
895008 Mobile Suction Hose Cart, 8 Hose
895010 Mobile Suction Hose Cart, 10 Hose
895012 Mobile Suction Hose Cart, 12 Hose
895104 Wall Mount Suction Hose Rack, 4 Hose
895106 Wall Mount Suction Hose Rack, 6 Hose
895108 Wall Mount Suction Hose Rack, 8 Hose
895204 Frame Mount Suction Hose Rack, 4 Hose
895206 Frame Mount Suction Hose Rack, 6 Hose
895208 Frame Mount Suction Hose Rack, 8 Hose



Direct mount tank overfill alarm fits easily to tank level gauges and can be supplied with your system or retrofitted to an existing system. Features audible alarm, flashing light, reset, powered by 9 volt lithium battery (supplied), and test switch.
Part Number : 897102



Remote LED level display that accurately and reliably measures the level in your tank. It will transmit and display the level information to the wired LED display that you can put virtually anywhere. Features colored LEDs, 25ft cord, hi/lo level alarms. Powered by 9v battery (not included)
Part Number : FFRLD01



Premium high quality Beta 2000 micro glass replacement bulk system filters provide maximum particle holding capacity and efficient operation.
469961 Filter Element B2000 - 4um
469963 Filter Element B2000 - 7um
469965 Filter Element B2000 - 25um



Replacement desiccant breather to help prevent moisture and airborne contaminants from entering tank.
Part Number : Z134

Upgrades



Fire Safety Upgrade

The Fire Safety Upgrade helps to protect the facility in the event of a fire by preventing the tank from draining with a fusible link.

8Z0101 Advanced & Work Center Protection
Includes fusible link (165°F) auto-shut off tank isolation valves. Order (1) upgrade for each tank on your system.

8Z0102 Basic System Protection
Includes fusible link (165°F) auto-shut off tank isolation valve and auto-shut off dispensing tap. Order (1) upgrade for each tank on your system.



Hose Reel

Retractable hose reels with trigger operated dispensing nozzles. A 3/4" diameter hose is available in 25 ft or 50 ft lengths allowing dispensing to lubricant carts, containers, or equipment.

8Z0225 Hose Reel, 25 ft
8Z0250 Hose Reel, 50 ft


Upgrade available only with Lubrication Work Center. 25ft Hose Reel standard on Tote Dispensing Rack, Bulk Transfer Skid, and Advanced Fluid Cart.



Digital Metered Gun

Digital metering gun with nozzle and rigid spout provide instant and accurate measurement of dispensing volume.
Part Number : 821251

Available for the Lubrication Work Center, Tote Dispensing Rack, Bulk Fluid Skid, and Advanced Fluid Handling Cart.



Custom ID Labeling

Customized identification labeling upgrades are available to assist with no mistake application for OSHA Right to Know compliance and NFPA.
Part Number : 8Z0300



Spill Containment Kit

Increase system spill containment for additional protection of SPCC compliance.

821352 Connector Kit, 2 Frame
821353 Connector Kit, 3 Frame
821354 Connector Kit, 4 Frame
821355 Connector Kit, 5 Frame
821356 Connector Kit, 6 Frame



Sampling Port

Quickly and easily take samples from the bulk tanks for analysis.
Part Number : BSSP01

Available for the Lubrication Work Center, Advanced Bulk System, and Basic Bulk System

Bulk System Features

FEATURES	Tote Dispensing Rack	Bulk Transfer Skid	55 Gallon Drum Work Station	Advanced Cart	Basic Bulk System	Quad Con Bulk System	Advanced Bulk System	Lubrication Work Center Bulk System
CONSTRUCTION								
Color coded tank(s)	—	S	—	S	S	S	S	S
Forklift/Pallet truck transport	S	S	—	S	S	S	S	S
30 Gallon tank	—	—	—	O	O	O	O	O
65 Gallon tank	—	—	—	S	O	O	O	O
120 Gallon tank	—	O	—	—	O	O	O	O
240 Gallon tank	—	O	—	—	O	—	O	O
Aluminum tanks	—	S	—	S	S	S	S	S
12 Gauge aluminized steel frame	S	S	S	S	S	S	S	S
TGIC polyester powder coated	S	S	S	S	S	S	S	S
Pre-assembled	S	S	S	S	S	S	S	S
TEFC Motor pump system	S	S	S	S	S	S	S	S
Electrical protection; circuit, surge, and motor overload	S	S	S	S	S	S	S	S
Fire safety MSHA-CFR30 rated hosing	S	S	S	S	S	S	S	S
Fusible link auto-shut off isolation valve	—	—	—	—	O	O	O	O
Integrated spill containment	S	S	—	S	S	S	S	S
DISPENSING								
Auto shut off taps	—	—	S	S	S	S	S	S
Gravity dispensing	—	—	—	—	S	S	—	—
Pressurized dispensing	S	S	S	S	—	S	S	S
Electric pump operation	S	S	S	S	S	S	S	S
Pneumatic pump operation	O	O	—	O	O	O	O	O
Push button emergency system stop	—	—	—	—	—	S	—	S
Hose reel, 25ft	S	S	—	S	—	—	—	O
Hose reel, 50ft	O	O	—	—	—	—	—	O
Digital metering gun for hose reel	O	O	—	O	—	—	—	O
Dispensing console	—	—	S	—	S	S	S	—
Dispensing station	—	—	—	—	—	—	—	S
FILTRATION								
Dedicated desiccant filter per tank	—	S	S	S	S	S	S	S
Dedicated pump per tank	S	S	S	S	—	S	S	S
Dedicated Filter per tank	S	S	S	S	—	S	S	S
Dedicated suction tube per tank	—	—	S	S	—	S	S	S
Filter during tank fill	—	—	—	S	S	S	S	S
Filter during dispensing	S	S	S	S	—	S	S	S
Filter recirculate (kidney loop)	—	—	S	S	—	S	S	S
Filter off-line	—	—	—	S	—	—	—	—
Beta 2000 spin-on filter	S	S	S	S	S	S	S	S
OPERATION								
Labeled tanks	—	S	—	S	S	S	S	S
Custom detailed labeling	—	O	—	O	O	O	O	O
Suction tubes with secure cam lock / ISO-B connectors	—	—	S	S	S	S	S	S
Drip tray, stainless steel	—	—	S	—	S	S	S	S
Level gauge	—	S	—	S	S	S	S	S
Remote digital LED level gauge	—	O	—	O	O	O	O	O
Retractable cable grounding kit	—	—	—	—	S	S	S	S
Pressure gauge	—	—	S	S	—	S	S	S
Wall mounted suction tube rack	—	—	—	—	—	—	O	O
Mobile suction tube cart	—	—	—	—	—	—	O	O
Tank overfill alarm	—	O	—	O	O	O	O	O
Lubricants up to ISO 680	S	S	S	S	S	S	S	S
Sampling Port	—	—	—	—	O	—	O	O

S = Standard O = Optional — = Not Available

1-630-852-1734

ForFluids.com

info@ForFluids.com

Oil Safe Transfer Containers

For more than a decade, the Oil Safe System has been the oil transfer management system preferred by leading companies around the world. People often go to great lengths to preserve the quality of their oil only to contaminate it by using filthy containers, pouring it through a dirty funnel, or inadvertently mixing it with different oil. The Oil Safe system is a fully sealing unit that prevents contaminants from getting into the oil. The pour spouts available make dispensing quick and easy and with 10 different colors help prevent cross contamination.



Mini Spout Lid

With an outlet diameter of approximately .25" (7mm), this spout is ideal for lubrication jobs where equipment filler holes are small. The narrow spout is perfect for precise filling.

Beige	100400	Mid Green	100405
Black	100401	Orange	100406
Blue	100402	Purple	100407
Dark Green	100403	Red	100408
Gray	100404	Yellow	100409



Stretch Spout Lid

Designed for use where precision pouring of lubricants is required including hard to reach areas. With a .5" spout opening and longer spout, this lid is ideal for lower viscosity oils (<ISO 220).

Beige	100300	Mid Green	100305
Black	100301	Orange	100306
Blue	100302	Purple	100307
Dark Green	100303	Red	100308
Gray	100304	Yellow	100309



Stumpy Spout Lid

This wide spout model with a 1" opening is designed for applications where a higher lubricant flow is required. Match with a Stumpy Extension Hose to help with hard to reach fill points.

Beige	100500	Mid Green	100505
Black	100501	Orange	100506
Blue	100502	Purple	100507
Dark Green	100503	Red	100508
Gray	100504	Yellow	100509



Stretch Spout Extension Hose 12" 102020



Stumpy Spout Extension Hose 10" 102021



Utility Lid

This multi purpose lid with a large 2" outlet hole ensures controlled fast pouring of lubricants. Match this lid to a 3, 5, or 10 liter/quart drum for use with Oil Safe pump.

Beige	100200	Mid Green	100205
Black	100201	Orange	100206
Blue	100202	Purple	100207
Dark Green	100203	Red	100208
Gray	100204	Yellow	100209

Tip: To use the pumps it needs to be matched with a Utility Lid




Standard Pump

Excellent for lubricating hard to reach fill points. This down stroke discharge pump delivers 1 liter for approximately 12 strokes. Match with the Utility Lid and 3, 5, or 10 liter/quart Oil Safe drum.

Standard Pump	102000
5' Replacement Pump Hose	920206
10' Replacement Pump Hose	920207
Pump Reducer Nozzle	102030

Tip: Pumps cannot be used with a 1.5 or 2 quart drum



Premium Pump

This heavy duty discharge pump is fully serviceable, color coded, accessory port, and has an ultra comfortable D handle grip design. Match with the Utility Lid and 3, 5, or 10 liter/quart Oil Safe drum.

Beige	102300	Mid Green	102305
Black	102301	Orange	102306
Blue	102302	Purple	102307
Dark Green	102303	Red	102308
Gray	102304	Yellow	102309

Premium Pump Accessories

5' Hose 1/4" NPT Kit w/breather	920220
10' Hose 1/4" NPT Kit w/breather	920225
10 micron Breather	920250



Drum

Every Oil Safe lid fits any Oil Safe drum. Fully interchangeable with lids and have an extra wide neck opening for rapid pouring and easy cleaning. Has Metric/Quart marks.

1.5 Liter/US Quart	101001
2 Liter/US Quart	101002
3 Liter/US Quart	101003
5 Liter/US Quart	101005
10 Liter/US Quart	101010



Storage Lid

With this lid, Oil Safe drums can be pre filled for storage or easier transportation. This is a convenient alternative to handling those bulky 5 gallon pails.

Beige	100100	Mid Green	100105
Black	100101	Orange	100106
Blue	100102	Purple	100107
Dark Green	100103	Red	100108
Gray	100104	Yellow	100109



Paper Funnel

Disposable funnel made from a coated, heavy grade paper stock that can be used with virtually any liquid or powder. Eliminates contamination and ready to use.

Mini, 5" x 2.4"	pack of 25: FF05-0120
Standard, 5.6" x 2.75"	pack of 36: FF01-0132
Professional, 9" x 4.25"	pack of 36: FF03-0140
Extended, 16.3" x 3.5"	pack of 10: FF04-0120

Safety/Storage Cabinets



Safety Cabinets are ideal for fuels, solvents, and lubricant storage; a perfect compliment to your fluid management program. Available in various sizes with adjustable shelves gives you the versatility to store fluids to fit your requirements. Conforms to NFPA Fire Code No. 30 and OSHA standards.

- Constructed of 18-gauge steel.
- All welded, reinforced double wall construction with insulating air space to offer fire resistant protection.
- Leak proof 2" bottom pan prevents leakage from accidental spills.
- Adjustable galvanized steel shelves hold up to 350 lbs.
- Doors include 3-point latching device with key lock.
- Self closing door models feature a fusible link that melts when ambient temperature reaches 160°.
- Grounding wire connections standard to dissipate static electricity buildup.
- Screened flame arrester vents on both sides of cabinet with 2" threaded fittings for external exhaust and with fire baffle and cap.
- Leveling pads.
- Ships assembled.

SAFETY CABINETS

Part #	Door Type	# Shelves	Capacity	Width	Depth	Height	Weight
930500	Manual	1	30 gallon	43"	18"	44"	231 lbs
930510	Manual	2	45 gallon	43"	18"	65"	310 lbs
930520	Manual	2	60 gallon	32"	32"	65"	387 lbs
930700	Self Closing	1	30 gallon	43"	18"	44"	246 lbs
930710	Self Closing	2	45 gallon	43"	18"	65"	330 lbs
930720	Self Closing	2	60 gallon	32"	32"	65"	407 lbs



Instantly organize your lubricant and equipment area with this high quality storage cabinet. Featuring bins and shelves for all of your lubrication and grease accessories.

- Tilt style bins inside cabinet doors swing forward to allow free access to contents, then tilt back for storage. Tilt bins supplied with removable dividers to provide maximum storage options.
- All welded, 14 gauge steel construction.
- Removable plastic parts bins easily clip on and off internal racks - bins are also stackable when not attached to cabinet.
- Flush mounted stainless steel door latch with key.
- Door casters beneath swing out door to support heavy loads on the large model cabinet.
- Ships assembled.

STORAGE CABINETS

Part #	Description	# Small Door Bins	# Door Tilt Bins	# Large Plastic Bins	Width	Depth	Height
930005	Medium Storage Cabinet	50	0	14	36"	21"	82"
930010	Large Storage Cabinet	51	12	12	39"	27"	76"

Spill Decks/Pallets



There's no need to worry about incidental spills on your factory floor. These spill decks are easy to load with a low profile design and optional ramp. Each spill deck is designed for stand-alone use or can connect with other spill decks for using Link-Locks, for a customized work area.

- Tough, one piece polyethylene construction will not rust or corrode.
- Large sump capacity catches incidental spills.
- Removable heavy-duty structural form grates for easy cleaning.
- Rolled-edge design helps resist cracking and warpage.
- Doors include 3-point latching device with key lock.
- Ramp hooks onto spill deck for easy loading.
- Create a solid workspace using Link-Locks.

SPILL DECKS


Part #	Description	Dimensions	Load Capacity lb (kg)	Spill Capacity gal (L)	Weight lb (kg)	Regulations
450512	2 Drum Spill Deck	inch: 53 x 28.5 x 6 cm: 135 x 72 x 15	2400 (1089)	22 (83.2)	39 (18)	EPA 40 CFR 264.175, SPCC, NPDES and UFC
450514	4 Drum Spill Deck	inch: 53 x 53 x 6 cm: 133 x 135 x 15	6000 (2722)	40 (151.4)	71 (32)	EPA 40 CFR 264.175, SPCC, NPDES and UFC
450516	6 Drum Spill Deck	inch: 77 x 53 x 6 cm: 196 x 135 x 15	7000 (3175)	61 (230.9)	102 (46)	EPA 40 CFR 264.175, SPCC, NPDES and UFC
450518	8 Drum Spill Deck	inch: 100 x 53.25 x 6 cm: 254 x 135 x 15	8000 (3629)	77 (291.4)	163 (74)	EPA 40 CFR 264.175, SPCC, NPDES and UFC
450520	Link Lock for Spill Decks, 1 pair	inch: 9.5 x 7 x 3.5 cm: 24 x 18 x 9	—	—	3 (1.3)	—
450555	6" Ramp	inch: 46 x 26 x 6 cm: 117 x 64 x 16	1000 (454)	—	30 (14)	—



Spill pallets offer greater secondary containment to meet regulatory requirements. Raised edges on back and sides helps orient barrels on the pallet. Pallets are forkliftable and have removable grates for easy cleaning. Includes drain and plug. The IBC Spill Pallet gives bulk container users more versatile spill containment. It fits more than 99% of all IBC dispensing units and features a large sump capacity of 385 gallons; more than exceeding EPA 40 CFR 264.175 regulations. The unit also comes with an integrated 5-gallon pail holder for quick and easy dispensing. A one-piece, light weight, 100% polyethylene IBC spill containment unit that is forkliftable and nestable for convenient shipment and storage and it reduces shipping costs. The polyethylene construction will not rust, corrode, or have adverse reactions with chemicals.

SPILL PALLET

Part #	Description	Dimensions	Load Capacity lb (kg)	Spill Capacity gal (L)	Weight lb (kg)	Regulations
450512	2 Drum Spill Pallet	inch: 54 x 29 x 17 cm: 136 x 74 x 43	2000 (907)	58 (219.5)	56 (25)	EPA 40 CFR 264.175, SPCC, NPDES
450514	4 Drum - In Line Low Profile Spill Pallet	inch: 98 x 25 x 12 cm: 249 x 64 x 30	3000 (1361)	66 (250)	84 (38)	EPA 40 CFR 264.175, SPCC, NPDES and UFC
450516	4 Drum - Square Low Profile Spill Pallet	inch: 54 x 54 x 12 cm: 137 x 137 x 30	6000 (2721)	66 (250)	91 (42)	EPA 40 CFR 264.175, SPCC, NPDES and UFC
450518	IBC Spill Pallet	inch: 73 x 81 x 30 cm: 185 x 204 x 75	8000 (3629)	385 (1457)	291 (132)	EPA 40 CFR 264.175, SPCC, NPDES and UFC
450520	12" Ramp	inch: 68 x 31 x 12.5 cm: 172 x 78 x 32	1000 (454)	—	65 (30)	—
450555	Ramp Extender	inch: 29.5 x 8.5 x 5.5 cm: 75 x 22 x 14	1000 (454)	—	6 (2.7)	—

A high-angle, top-down view of a group of eight business professionals (seven men and one woman) seated around a large, light-colored rectangular conference table. They are in a meeting, looking at documents, a laptop, and a calculator. The floor is made of large, light-colored square tiles.

**It seems like all they care about is the bottom line...
That's fine with us.**

Many times an updated lube room can give companies an immediate boost with lower maintenance costs because equipment is receiving the proper oil that is cleaner than before. Increased up-time leads to longer production times. Equipment with a proper lube program can lead to longer life and extending capital purchases to their fullest.

Top companies see a proper lube room not as an expense,
but as an investment.

Studies of equipment frequently reveals that equipment is breaking down much earlier than projected - mainly because of lubrication issues. Proper storage and dispensing of oils can have a dramatic affect of your return on investments such as equipment like conveyors, production lines, generators, motors, pumps, and more.

So how much is it going to cost? A common question but it depends.

Figure on spending anywhere from a few thousand if you only need basic items like Oil Safe color coded drums and lids to carry around and a safety cabinet to store them when not in use. Complete systems with bulk systems and a full room filled with lubrication goodies can cost anywhere from thirty to fifty thousand. Large organizations with many lubricants and elaborate storage requirements may be in the hundred thousand range. That may sound like a lot but keep in mind that case studies have shown that the return on investment is recouped, often times in a very short period.

So if your maintenance budget is spiraling out of control and equipment is being repaired too often, a proper lube room can cut these costs and increase production.

Return On Investment

A blurred image of a person's hand holding a piece of chalk, writing the word 'Investment' on a chalkboard. The person's face is out of focus in the background.


New oil isn't as
clean as you think.

Studies show that new oil is simply not clean enough for today's modern equipment. Unless your lubricant supplier is giving you a certificate that guarantees the level of cleanliness, it isn't without impurities. Fortunately, it is easy to clean. Using a ForFluids.com bulk storage system with certain configurations will clean your fluid going in AND going out.



SPCC Guidelines


The Oil Pollution Prevention regulation, under the authority of the Clean Water Act, sets forth requirements for prevention of, preparedness for, and response to oil discharges at specific non-transportation related facilities. To prevent oil from reaching navigable waters and adjoining shorelines, and to contain discharges of oil, the regulation requires these facilities to develop and implement SPCC plans, establish procedures, methods, and equipment requirements. There are a lot of different guidelines and regulations for the EPA's SPCC rule and further information can be found online at: www.epa.gov



NEW LUBE ROOM DESIGN


⇒ GOALS:

- * Be Organized
- * Eliminate errors!
- * Safer and CLEANER





Tip: Label cabinets and shelves for their intended purpose. This way your layout will be more accurate for your needs.

call ForFluids.com to order: 1-630-852-1734



Tip: Try to draw it to scale as much as possible. Depending on the size of your room, one square equals one foot. If you have a smaller room then two squares for one foot.



Use this key as a guide if you are assigning each square as 1 foot.



Cabinet




Safety Cabinet




Bulk Storage Station



Dispensing Station
(only for the Lubrication Work Center System)




Tote Dispensing Station



Bulk Storage Cabinet



55 Gallon Station
(with 55 gallon drum pictured - not included)



Spill Deck or Pallet



Filter / Dispensing Cart



Shelf

For storing supplies, labeling, new containers, and other items. Ranges from 36"-40" wide and 21"-37" deep.

For fuels, solvents, and lubricants that need to be in a special cabinet.

Available in a variety of configurations. Typically can hold 1 to 4 tanks depending on the tank size. It has 2 shelves and each shelf can hold either 2-65 gallon tanks or 1-120 gallon tank. Or for larger operations, a pod can hold 1-240 gallon tank. To help determine needs, write the number of tanks - for example, "B4" is Bulk System with 4 tanks.

The Dispensing Station for the Lubrication Work Center is where all the dispensing taps and controls are located.

Sometimes you have lubricants in larger quantities, and if it arrives in totes we have a perfect solution.

Cabinet has the same dimensions as the Bulk Storage Stations for large capacity storage of lubrication tools and parts.

Often times this system is located in another part of the facility nearby a "high use" area. Usually the 55G drum on a spill deck is along side the system. More than one drum can be nearby 'at the ready' since the hose with the drum station will reach out.

Available in a variety of sizes

Can range in sizes depending on application and options. Filter carts are just for filtering fluid while the dispensing carts are for filtering and dispensing fluid around your facility.

For storing all the stuff you buy from ForFluids.com

NEW LUBE ROOM DESIGN

Tip: Additional space may be needed depending on options such as hose reels. Also leave extra space around equipment for getting to power outlets.



ForFluids.com
Division of EDM Zap
1108 Front Street - Lisle IL 60532 USA
Phone: 1-630-852-1734
Fax: 1-630-852-3678
www.ForFluids.com
info@ForFluids.com